


MODEL L-65 DIAGRAM PRIMARY CABINET DIMENSIONS

SPECIFICATIONS

MAX WEIGHT CAPACITY : 100 lbs [45.4 kg]
 MAX TRAVEL [EXTENSION] : 38.5 in [97.7 cm]
 LIFT SYSTEM HEIGHT : 29.5 in [75 cm] TO 40.5 in [103 cm]
 MAX TV HEIGHT : 37.75 in [95.9 cm] MINUS LID THICKNESS

QUICK REFERENCE DIMENSION GUIDE (USE WHICHEVER IS GREATER)

TV DIMENSIONS : W _____, H _____, D _____
 MIN. INTERIOR CABINET WIDTH : $W + 2$ in [5.1 cm] = _____ OR 29.5 in [74.9 cm]
 MIN. LID CUTOUT WIDTH : _____
 MIN. INTERIOR CABINET HEIGHT : $H + 2$ in [5.1 cm] = _____ OR 29.75 in [75.6 cm]
 MIN. INTERIOR CABINET DEPTH : _____
 MIN. LID CUTOUT DEPTH : $D + 6.375$ in [16.2 cm] = _____




NOTES:

1. THE CABINET BOX SHOWN IN THE DIAGRAM IS FOR REFERENCE ONLY AND IS NOT PROVIDED WITH THE LIFT SYSTEM
2. WHEN DETERMINING TV HEIGHT, ALWAYS USE MANUFACTURER SUPPLIED "TV WITHOUT STAND" HEIGHT
3. LIFT MECHANISM IS POWDER COATED BLACK STEEL, COLORS IN DIAGRAM ARE FOR CLARITY ONLY

NEXUS₂₁

COPYRIGHT 2023 - ALL RIGHTS RESERVED
UPDATED 1/4/24

MODEL L-65 DIAGRAM CABINET REFERENCE DIMENSIONS



- NOTES:
1. LID SUPPORTS ALLOW LID PLATE TO BE ADJUSTED FLUSH WITH UNDERSIDE OF LID
 2. LID ADAPTER PLATE ALLOWS LID TO FLOAT WITH THE USE OF LID CATCHES
 3. MINIMUM SEAM CAN BE REDUCED TO 0.0625 in [0.2 cm] WITH A 45 DEGREE BEVEL ON THE EDGES OF THE LID